




Fun INDA  
26A



Fun INDR  
26R



Fun INDS  
26S



(TFM)  
TFAR  
Fun TF TFVI  
TFVR)

22F

SUBROUTINE FIND FP  
(Sheet 12)  
ADDRESS := 3n + FP

CONTENT OF (SP+2) := CONTENT OF ADDRESS+2.  
CONTENT OF (SP+1) := CONTENT OF ADDRESS+1.  
CONTENT OF (SP) := CONTENT OF ADDRESS.

14M

Fun. TRCN  
22N

SUBROUTINE FIND FP  
(Sheet 12)

CHECK CONTENT OF 3n + FP + 1  
FOR SIGN BIT (UNPACKED  
NUMBER INDICATOR)

IS  
NUMBER  
UNPACKED  
?

ADDRESS := CONTENT OF  
3n + FP.

PICK UP CONTENT OF 3n + FP  
(ADDRESS)

22S


STKVAL

IS IT  
REAL  
NUMBER  
?


YES → 15S

V := CONTENT OF ADDRESS

14A



# FAIL Subroutine (FAILEN)



SUBRT LINK STORED IN PAUSRT  
RE-ENTRY CAUSES CONTINUATION AT  
NEXT INSTRUCTION OF USER PROGRAM.