



END-OF-TEXT FIGURES

|  | Fig. |
|--|------|
| Address Decoding.. . . . .   | 1    |
| Crystal-Controlled Timer . . . . .   | 2    |
| Main Counter Control and Count Zero Decode . . . . .                           | 3    |
| Main Counter . . . . .   | 4    |
| K Counter and Decode . . . . .   | 5    |
| Control Write and Prepare Sequence Control.. . . . .                           | 6    |
| Backspace and Erase (E1-E4) Sequence Control.. . . . .                         | 7    |
| Read Check and End of Block (EB1-5) Sequence Control . . . . .                 | 8    |
| End of Block (EB6,7), Write (W10-12) and Enough Sequence Control..             | 9    |
| Write Sequence (W1-9, W13) Control . . . . .                                   | 10   |
| Read Sequence Control . . . . .  | 11   |
| Run, Forward/Reverse, Read and Write Permit and Character<br>Counter . . . . . | 12   |
| Write Data Transfer . . . . .  | 13   |
| X and Y Registers - Bits 1, 7, 13 (B12-DP302) . . . . .                        | 14   |
| X and Y Registers - Bits 2, 8, 14 (B13-DP302) . . . . .                        | 15   |
| X and Y Registers - Bits 3, 9, 15 (B14-DP302) . . . . .                        | 16   |
| X and Y Registers - Bits 4, 10, 16 (B15-DP302) . . . . .                       | 17   |
| X and Y Registers - Bits 5, 11, 17 (B16-DP302) . . . . .                       | 18   |
| X and Y Registers - Bits 6, 12, 18 (B17-DP302) . . . . .                       | 19   |
| Control Word Decode and Rewind Control.. . . . .                               | 20   |
| Production of Resets . . . . .   | 21   |
| MDT (Status 3), Reply and Interrupt . . . . .                                  | 22   |
| Read Buffers and Parity Checks . . . . .                                       | 23   |
| Status Signals (1, 2, 5-10) and Controller Busy . . . . .                      | 24   |
| Power Supply Switching . . . . .   | 25   |
| Test Logic and Crystal Clock Pulse Generator . . . . .                         | 26   |